



Magellan Care Guidelines

Idaho Provider Training

Magellan
HEALTHCARE.

Agenda – Magellan Care Guidelines

- » Clinical review guidelines overview
- » Considerations for use
- » Components of clinical review guidelines

Learning Objectives:

- ✓ Review the definition of medical necessity criteria for the Idaho Behavioral Health Plan (IBHP).
- ✓ Outline the different types of clinical review guidelines for the IBHP.
- ✓ Explain the rationale and need for the use of clinical review criteria in the IBHP.

Meet your Magellan team

Clinical

Jennifer Bly, RN

Director, Clinical/Care Navigation

Provider Training

Heather McCollum, LCSW

Director, Learning & Development

Lea Bush, LCSW, MPA


Clinical Trainer

Katherine Powers, LCSW

Clinical Trainer



Magellan clinical review philosophy



Least restrictive level of care



Meets biopsychosocial needs



Enter at any level



Clinical need dictates level of care



Individualized Treatment



Member readiness



Definition of medical necessity for IBHP

The definition of medical necessity for the Idaho Behavioral Health Plan says a service is medically necessary if:

“It is reasonably calculated to prevent, diagnose, or treat conditions in the member that endanger life, cause pain, or cause functionally significant deformity or malfunction; and


There is no other equally effective course of treatment available or suitable for the member requesting the service that is more conservative or substantially less costly.

Medical services must be of a quality that meets professionally recognized standards of healthcare, be substantiated by records including evidence of such medical necessity and quality and be made available to the IDHW upon request.”

Clinical Review Guidelines



Purpose of clinical review guidelines



Goal is to assign the safest, most effective, and least restrictive level of care



Provides cost-effective care




Evidence-based criteria



Directs both providers and reviewers to the most appropriate level of care for the member

Clinical review guidelines planned for use



ASAM American Society of
Addiction Medicine

American Society of
Addiction Medicine (ASAM)
3rd Edition



mcg
PART OF THE
HEARST HEALTH NETWORK

MCG Care Guidelines

Magellan
HEALTHCARE[®]

Magellan Care Guidelines



**Magellan Healthcare
Guidelines for IBHP**



Clinical review guidelines



Levels of Care



Age



Mental Health
and/or
Substance Use


Levels of Care and Considerations



Levels of care

Assess:

- Risk
- Symptoms
- Right place for member
- Right time for member



Levels of care & clinical review guidelines



Facility/level of care	Clinical review guidelines
Inpatient Mental Health: Hospital	Modified MCG Care Guidelines
Inpatient Mental Health: Institution for Mental Diseases (IMD)	Modified MCG Care Guidelines
4.0 Medically Managed Intensive Inpatient Services	American Society of Addiction Medicine (ASAM), 3 rd ed.
3.7 Medically Monitored High Intensity Inpatient Services	ASAM, 3 rd ed.
3.5 Clinically Managed Medium Intensity Residential Services	ASAM, 3 rd ed.

Magellan Healthcare Guidelines for IBHP



Magellan Healthcare Guidelines for IBHP

- ✓ Unique to IBHP services
- ✓ Developed collaboratively
- ✓ Based on nationally recognized standards
- ✓ Driven by research and evidence-based methods



Magellan Healthcare Guidelines for IBHP



IBHP Specific Magellan Healthcare Clinical Review Guidelines include:

- Behavioral Modification and Consultation
- Early Serious Mental Illness (ESMI)
- Family Peer Support
- High-Fidelity Wraparound for Idaho Wraparound Intensive Services (WInS)
- Homes for Adult Rehabilitation Treatment (HART)
- Homes for Adult Rehabilitation Treatment (HART) - Specialized One to One
- Intensive Home and Community Based Services
- Parenting with Love and Limits (PLL)
- Safe & Sober Housing (SSH) and Enhanced SSH (ESSH)
- Substance Use Disorder (SUD) Recovery Services - Child Care
- Psychological Testing
- Neuropsychological Testing
- Transcranial Magnetic Stimulation Treatment



ASAM Guidelines










ASAM criteria guiding principles



- Whole person
- Individualized
- Treatment length will vary
- Failure history does not guide
- Continuum in levels of care
- Redefines “addiction”

ASAM Criteria Multidimensional Assessment



- Dimension 1  Acute intoxication and/or withdrawal potential
- Dimension 2  Biomedical conditions and complications
- Dimension 3  Emotional, behavioral or cognitive conditions and complications
- Dimension 4  Readiness to change
- Dimension 5  Relapse, continued use, or continued problem potential
- Dimension 6  Recovery / living environment

ASAM guidelines in the IBHP



4.0 Medically Managed Intensive Inpatient Services



3.7 Medically Monitored Intensive Inpatient Services



3.5 Clinically Managed High-Intensity Residential Services (adult)



3.3 Clinically Managed Population-Specific High-Intensity Residential Services



3.1 Clinically Managed Low-intensity Residential Services



2.5 Partial Hospitalization Services



2.1 Intensive Outpatient Services

MCG Guidelines



MCG guidelines



Risk

- Danger to self or others
- Include ideation, plan, and/or attempt

Behavioral health symptoms

- Severity of symptoms
- Severe impact of the symptoms

Right time for member

- Necessary, appropriate, and not feasible at a lower level of care
- Willing to engage

Right place for member

- Patient can get better at current level of care

MCG guidelines

MCG guidelines used in the IBHP will include:

- Adult Peer Support, Peer Recovery Coaching and Youth Peer Support
- Assertive Community Treatment
- Day Treatment
- Eating Disorders
- Electroconvulsive Therapy
- Inpatient Behavioral Health
- Intensive Outpatient Program Behavioral Health
- Outpatient Behavioral Health
- Partial Hospital Behavioral Health
- Residential Behavioral Health
- Targeted Case Management





Do you have any
Questions?



Magellan
HEALTHCARE®



Thank you

Magellan
HEALTHCARE®